


Volume 11

Number 3





VOLUME 11	1998	NUMBER 3
Summer D	ays in the Ozarks	3
	and Breakfast - A new idea or a reworked	
	renamed old idea? This feature profiles 1	
	breakfast, Frisco style.	
	isco	
	them what you will - Inspection Car, Me	
	Speeder, etc. They were an essential to	
	rs, signal maintainers, anyone who need	
	ice. This photo feature presents two exa	umples of
	y Classic Frisco models!	
	dhouse Remnants	
	cently discovered archival file provides son	-
	hat appears to be the last remnants of the	Frisco's Yale,
	roundhouse and machine shop.	
Frisco Ros	ster Tales	
	nis installment of <i>Roster Tales</i> Frisco Foll	
	ludes his Yard Power series, installment n	umber ten,
	co's First Diesels.	10
		10
	re look at Frisco train wrecks, head-on var. ect of this installment of our Mail Car feat	
	ndard Plans	
	is the fifth in our Standard Plans series th	
	ints of original Frisco Standard Plan design	*
* .	ires plans for Data For Typical Mile Of Tra	
	hronicles	
	2 of our Caboose Chronicles series profile	
	d Cupola Era -of Frisco caboose constructio	
	The Depot	•
	ion G664 on the Chickasha Sub, Southwest	
	Station K744 on the Enid & Hobart Sub, W	
	sion, was one and the same at Snyder, OK,	
	'he Depot feature in this issue.	,
	S	
	edition of Rick's Tips provides our model r	
men	bers with some tricks and tips for making	wooden decks
mor	realistic	
"Frisco pa	ssenger car on fire"	
Frisco Bas	eball Flash	
War	t to know how Frisco travelers kept up wit	th the current
base	ball game scores? Check out the Frisco Bas	seball Flash!

About the Covers

FRONT: No, it's not a mistake! We intentionally turned our front cover on its side so you could appreciate the full majesty of John Winfield's "*That Frisco Flair*" color print of Frisco motive power!

BACK: A rare glimpse at the cover of the *Frisco System Magazine*, Christmas November 1902, is featured on our back cover.



RAILROAD MUSEUM NC.

OFFICERS

<u>President</u> Alan Schmitt <u>Secretary</u> Rachel Wilhite <u>Vice-President</u> Donna Wagner <u>Treasurer</u> Stan Weddle

BOARD OF DIRECTORS

Alan SchmittCharles MahaffeyWilliam LoveRobert McMillinRichard NapperLouis GriesemerArthur LindemanC.C. RobertsGary KukalGeorge Clinkenbeard

STAFF

Editor Alan Schmitt <u>Vice-President Operations</u> Donna Wagner <u>Membership Secretary</u> Saundra Schmitt

MUSEUM ADDRESS

543 E. Commercial St. Springfield, MO 65803-2945 866-SLSF (866-7573 E-mail SLSFMUS@aol.com Web Site http://www.frisco.org/frisco.html

HOURS OF OPERATION

Tuesday thru Saturday 10:00 a.m. to 5:00 p.m.

The All Aboard is published for members of the FRISCO FOLKS organization of THE FRISCO RAILROAD MUSEUM Inc. Its contents are copyrighted by The Frisco Railroad Museum Inc., and may not be reproduced or duplicated in any manner or form without the expressed written consent of the museum President. The Frisco Railroad Museum Inc. is not supported by, nor affiliated in any way with, the Burlington Northern-Santa Fe Railroad Company, its subsidiaries or affiliates.



The Frisco name & logo are licensed registered trademarks of The Frisco Railroad Museum Inc.

💓 Printed on recycled paper

Summer Days Ozarks

BOOKLET Giving a List of Private Homes, Hotels and Boarding Houses in the Ozark Mountains of Northwest Arkansas, where one will find rest and recreation, with a hospitable welcome; a cool, invigorating climate; magnificent views, and many interesting places.

It has been said that 90% of the new ideas people come up with now days are simply old ideas that have been reworked, repackaged, and renamed. While some might question such a statement, a recent museum acquisition seems to suggest that there is an element of truth in it.

HE ROAD TO THE OZARKS

One "new" idea that has grown in popularity over the past few years has been the Bed and Breakfast concept of lodging. Many folks across the country have opened their homes to the traveling public, offering "down home" hospitality as an alternative to the impersonal atmosphere of a chain operated motel. Many old abandon homes and store



WALNUT GROVE FARM. The home of J.N. Woods situated 4 1/2 miles northeast of Frisco station. Has nine rooms; modern. Farm of three hundred acres; plenty of good fruit, fresh butter, eggs, vegetables, etc. A pleasant drive to town through beautiful orchards. Bath and conveniences. Can accommodate ten persons. Livery charge, \$1.25 per trip to and from Frisco station. Rates, \$1.25 per day, \$7.00 per week. J.N. Woods, Walnut Grove Farm, R.F.D. No. 3, Rogers, Ark. (1917) fronts have been given new life as remodeled Bed and Breakfast accommodations. It is estimated that there are currently over 4,000 such facilities in operation nation wide.

New idea, or simply an old one reworked, repackaged, and renamed? According to two brochures recently acquired by the museum, Bed and Break-fast accommodations, *"Along The Frisco Lines*," have been around for a long time!

A 1917 (Summer Days In The Ozarks) and 1921 (Vacations In The Ozarks), brochure produced by the Frisco Passenger Traffic Department list homes, hotels, and boarding houses in the Ozarks region of Southwest Missouri and

3 (



Northwest Arkansas. According to our records, these travel guides were updated and issued on a yearly basis.

Here are some classic examples of **Summer Days In The Ozarks**, Along the Frisco Line.



NEW ST. LOUIS FLATS. A 25-room house on summit of mountain, at end of car line. Light housekeeping. Has accommodations for 75 persons; proprietor keeps cows and raises vegetables and chickens. Rates on application. T.J. Reynolds, New St. Louis Flats, Eureka Springs, Ark. (1917)



THE home of E.B. Julien is located about a mile and one-half north of Frisco station at Seymour, Mo., on a two hundred and eighty acre farm. The house contains eight rooms and can accommodate eight guests. Good fishing, bathing and boating in the James River, which is about a half mile distant. Excellent meals. Will meet guests at train with conveyance when requested; no charge. Rates: #1.50 per day; \$10.00 per week; \$35.00 per month. E.B. Julien, Seymour, Mo. (1921)

For health, enjoyment and economy, spend your vacation in the Ozarks. Call on the nearest Frisco Lines representative and let him assist you in planning a trip to the Ozarks. (1921)



HOME of Josie Smith, twelve miles northwest of Lebanon, Mo. A 12-room house, capable of accommodating twenty people. Niangua River is one-half mile distant and affords good fishing, boating, and bathing; Our own farm products are served on the table. Conveyance may be obtained at Lebanon. \$2.00 per day; \$12.00 per week. (1921)



HOME of W.K. Deffebach, two and onehalf miles southwest of Frisco station at Sullivan, Mo. Six room house with beautiful shade trees; screened porches. Accommodations for eight or ten persons. Bathroom in house. Plenty of milk, cream, butter, eggs, and vegetables. Fruit and berries in season. Good cooking. Rates: \$2.00 per day; \$14.00 per week; will meet guests on request; charge, fifty cents. W.K. Deffebach, Sullivan, MO. (1921)



HOME OF MRS. A.F. WOLF. Formerly Arkansas building at St. Louis World's Fair, now located on Mt. Nord, in the suburbs of Fayetteville; altitude, 24000 feet. Can accommodate a few summer boarders. Rates, \$10.00 per week. Bus service from station, charge 25c. Mrs. A.F. Wolf, Fayetteville, Ar. (1917)



HOME OF W.R. WINN. A farm house with seven rooms. One mile north of Winslow, Ar., up in the mountains. Can accommodate ten persons. Has large orchard. Proprietor raises chickens and vegetables; keeps cows. Rates, \$1.50 per day, \$7.00 per week. W.R. Winn, Winslow, Ark. (1917)

This folder is exhaustively revised each season, and each resort shown herein is investigated as carefully as possible. Vacation parties who discover inaccuracies will confer a favor upon the Railroad by reporting same. (1917)





Classic Frisco

Call them what you will - Inspection Car, Motorized Hand Car, Gang Car, Section Car, Motor Car, Specder, etc. Whatever they were called by those who used them, (some of which are probably not suitable for print) these unique pieces of rail equipment were a mainstay on American railroads, including the Frisco, for many years. They were an essential tool for signal maintainers, section crews, bridge gangs, and anyone else who needed their services.

Our **Classic Frisco** feature in this issue includes rare photos of two examples: One steam powered unit and one, complete with cow catcher.

RC 1100 is shown, complete with cow catcher, at the Frisco's Oklahoma City yards, August 12, 1926. Gentleman standing alongside is identified as J. Roy Sloan. Photo from the collection of Frisco Folk Jerry Broudy.





Yale Roundhouse Remnants

A recently discovered archival file has provided some rare photos of what appear to be the last remnants of the Frisco's Yale, TN, roundhouse and machine shop.

In addition to the photos, the file contains correspondence from June, 24, 1940, through October 22, 1952, regarding additions and rcmodel of the old shop for the Patterson Transfer Company. The old roundhouse was apparently being used as their warehouse No. 2, with what appears to be storage for a local automobile dealer.


According to a June 25, 1951, diagram contained in

the file, their warchouse No. 1 was a two-story concrete building adjacent to the old roundhouse to the south.

If anyone has additional photos of the roundhouse and/ or information about its history, please contact the museum office! \sum




Old Yale (Memphis) Roundhouse, May 27, 1940, south elevation. Frisco photo




Old Yale (Memphis) Roundhouse, May 27, 1940, west elevation. Frisco photo



Old Yale (Memphis) Roundhouse, May 27, 1940, north elevation. Frisco photo




Old Yale (Memphis) Roundhouse, May 27, 1940, north elevation. Frisco photo



Old Yale (Memphis) Roundhouse, May 27, 1940, northeast corner. Frisco photo



Old Yale (Memphis) Roundhouse, May 27, 1940, interior looking north. Frisco photo



The last two installments of Roster Tales (All Aboard. Summer 1995, and Winter 1995-1996), discussed the group of Frisco diesel switcher locomotives reviewed in this ten-part mini-series, in which we discussed these very important vard locomotives. This final group was, of course, the 38 Baldwin VO-1000 switchers. which were the first group of diesel locomotives received and put in service by the Frisco, plus the lighter Baldwin VO-660's and the later, improved Baldwin DS-4-4-1000's. This current Roster Tale will wrap up this discussion on Frisco's diesel switchers.

First, though, I must comment on the passing of Lee Buffington (All Aboard, Fall 1995, "Farewell Mr. Frisco") Lee was one of the grand people of the old Frisco, and was a close friend of mine and many others in the Frisco family. He and I often had detailed discussions about Frisco motive power, and I always marveled at how clear his mind was on this topic, even up to his last year. He had detailed notes and reference material, much of which is in the museum's archives now, and was always willing to share information about his beloved Frisco. Indeed, the idea and inspiration behind these Roster Tale articles came from Lee, as did most of the information contained in the articles. Lee will



VO-1000 201, in service at North Yards, Springfield, MO, March 1, 1954. A. Johnson photo

be missed by many, including your author. I was honored to know him!

Lee's last letter to me contained more information on the Baldwin switchers we have been discussing in the last two **Roster Tales**. The information he provided follows:

"An item of interest may be the order pattern of the early Baldwins. The first order called for five 1000HP switchers (Baldwin VO-1000's); the second called for two 660HP (Baldwin VO-660's) and eight 1000HP switchers. The third order called for five 660HP and five 1000HP switchers, but this order was changed later to ten 1000HP switchers. This accounts for a total of 23-1000HP and 2-660HP switchers in the early group from Baldwin. The 660HP orders were canceled and replaced by more 1000HP units because we soon found out that the smaller switchers were not heavy

or powerful enough to provide the performance the Frisco wanted. The entire Baldwin switcher order pattern was as follows:

• First order-1000HP-SLSF 200-204

- Second order-1000HP-SLSF 205-212; 660HP SLSF 600-601
- Third order-1000HP-SLSF 213-222
- Fourth order-1000HP-SLSF223-229
- Fifth order-1000HP-SLSF 230-235
- Sixth order-1000HP-SLSF 236-237
- Seventh order-1000HP-SLSF 238-241 (DS-4-4-1000's)

All this information is from my per-

Thank you Lee. May you rest in peace.

The next **Roster Tale** series will discuss the newest, and last, diesel locomotives the Frisco ordered, the 3500HP EMD GP-50's, which were to be numbered SLSF 790-799.

MAIL CAR




The MAIL CAR is a feature of the ALL ABOARD in which we attempt to answer some of the many questions that are submitted to our FRISCO RESEARCH SERVICE.

If you have a question about the equipment, facilities, or operation of the Frisco, please send them to the **RESEARCH SERVICE**. All request are answered individually and selected questions will appear in the **MAIL CAR** feature. **GUESTION:** At a garage sale recently, I purchased a book about train wrecks and was fascinated with the chapter on head-on collisions. I am sure the Frisco had their share of wrecks. Did they ever have any head-on ones and do you have any pictures of them?


EDITOR'S NOTE: The book our reader is referring to is *Train Wrecks-A Pictorial History of Accidents on The Main Line*, by Robert C. Reed, 1968.

ANSWER: Yes, the Frisco had their share of train wrecks, including the four head-on variety pictured here.




Just Time To Jump An early wood cut depicts every train crew's worst nightmare. With


the inevitable about to happen, there is little time to act.



Both photos from the Ed Galbraith collection, date and location unknown.




Caption on this photo reads, "Wreck on the AV and W. Near Tulsa. Jan. 4 '09." The Arkansas Valley and Western was the Frisco predecessor between West Tulsa and Avard. Ed Galbraith collection.



Frisco 442 and 810 got together in Republic, MO, in this rare 1902 photo. Ed Galbraith collection.

	⊳36″	6 HOLE JOIN	TS		
			ппппп		
					TTTT
					TITT
لیس ایس است است است است. میرون میروند	9"X8'-6" TIE				
/	A.YO.40. 115	5 24 PER PA	NEL		
					6
				<u> </u>	
				i set	
				212	
			ATEMEN	TIE VIETIKE	a //
					2
					Υ.
		-111=	FII-		(4) (4)
		11 E 111 E 111 E	TIL -		4
					4
	115	THEINENTER	Ţ *		/4 /4
	TITE	THEINENNEN			/4 /4
	TITE	THEINENTERT			
BILL OF MATERIAL FO		E OF NEW	/ TRACK		Ч
BILL OF MATERIAL FO			/ TRACK	RE RAIL TOTAL COST	У. **
ITEM	R ONE MIL UNIT	E OF NEW	TRACK	TOTAL COST	T
ITEM TIES TREATED 7"X9"X8'6"	R ONE MIL UNIT EA.	E OF NEW QUANTITY PER MILE 3250	/ TRACK	10367.50	T
ITEM TIES TREATED 7"X9"X8'6" RAIL 132 LB. RE.	R ONE MIL UNIT EA. GROSS TON	E OF NEW QUANTITY PER MILE 3250 207.585	/ TRACK	TOTAL COST \$10367.50 20862.29	T
ITEM TIES TREATED 7"X9"X8'6" RAIL 132 LB. RE. TOELESS JOINTS 36" 6HOLE	R ONE MIL UNIT EA. GROSS TON EA.	E OF NEW QUANTITY PER MILE 3250 207.585 267	/ TRACK 1321 B UNIT COST 3.19 100.50 7.02	TOTAL COST \$10367.50 20862.29 1874.34	T
ITEM TIES TREATED 7"X9"X8'6" RAIL 132 LB. RE. TOELESS JOINTS 36" 6HOLE JOINTS ARMORED INSULATED	R ONE MIL UNIT EA. GROSS TON	E OF NEW QUANTITY PER MILE 3250 207.585 267 4	/ TRACK 1321 B. UNIT COST 3.19 100.50 7.02 31.39	TOTAL COST \$10367.50 20862.29 1874.34 125.56	T
ITEM TIES TREATED 7"X9"X8'6" RAIL 132 LB. RE. TOELESS JOINTS 36" 6HOLE JOINTS ARMORED INSULATED TRACK BOLTS 1" X5344"	R ONE MIL UNIT EA. GROSS TON EA. EA. KEG	E OF NEW QUANTITY PER MILE 3250 207.585 267	/ TRACK 1321 B. UNIT COST 3.19 100.50 7.02 31.39 23.54	TOTAL COST \$10367.50 20862.29 1874.34	T
ITEM TIES TREATED 7"X9"X8'6" RAIL 132 LB. RE. TOELESS JOINTS 36" 6HOLE	R ONE MIL UNIT EA. GROSS TON EA. EA. KEG M.	E OF NEW QUANTITY PER MILE 3250 207.585 267 4 18.27 1.626	/ TRACK 1321 B UNIT COST 3.19 100.50 7.02 31.39 23.54 71.89	TOTAL COST \$10367.50 20862.29 1874.34 125.56 430.08 116.89	7. 74
ITEM TIES TREATED 7"X9"X8'6" RAIL 132 LB. RE. TOELESS JOINTS 36" 6HOLE JOINTS ARMORED INSULATED TRACK BOLTS 1" X53/4" NUTLOCKS 1 1/16" TIE PLATES 73/4" 114 - D.S ABRASION PLATES AND PADE	R ONE MIL UNIT EA. GROSS TON EA. EA. KEG	E OF NEW QUANTITY PER MILE 3250 207.585 267 4 18.27	/ TRACK 1321 B. UNIT COST 3.19 100.50 7.02 31.39 23.54	TOTAL COST 10367.50 20862.29 1874.34 125.58 430.08	C-44
ITEM TIES TREATED 7"X9"X8'6" RAIL 132 LB. RE. TOELESS JOINTS 36" 6HOLE JOINTS ARMORED INSULATED TRACK BOLTS 1" X53/4" NUTLOCKS 11/16" TIE PLATES 73/4" =14=0.5 ABRASION PLATES AND PADE TRACK SPIKES 5/8" X 6"	R ONE MIL UNIT EA. GROSS TON EA. EA. KEG M. EA. EA. EA. KEG	E OF NEW QUANTITY PER MILE 3250 207.585 267 4 18.27 1.626 6492	/ TRACK 1321 B UNIT COST 3.19 100.50 7.02 31.39 23.54 71.89 1,12	TOTAL COST 10367.50 20862.29 1874.34 125.56 430.08 116.89 7271.04	T
ITEM TIES TREATED 7"X9"X8'6" RAIL 132 LB. RE. TOELESS JOINTS 36" 6HOLE JOINTS ARMORED INSULATED TRACK BOLTS 1" X53/4" NUTLOCKS 1 1/16" TIE PLATES 73/4" 114 - D.S. ABRASION PLATES AND PADE TRACK SPIKES 5/8" X 6" TRACK SPIKES 9/16" X 5 /2" (HOLDDOWN)	R ONE MIL UNIT EA. GROSS TON EA. EA. KEG M. EA. EA. EA. KEG	E OF NEW QUANTITY PER MILE 3250 207.585 267 4 18.27 1.626 6492 8 52 38	/ TRACK 1321 B. UNIT COST 3.19 100.50 7.02 31.39 23.54 71.89 1,12 1.20 16.03 16.03	TOTAL COST 10367.50 20862.29 1874.34 125.56 430.08 116,89 7271.04 9.60	T
ITEM TIES TREATED 7"X9"X8'6" RAIL 132 LB. RE. TOELESS JOINTS 36" 6HOLE JOINTS ARMORED INSULATED TRACK BOLTS 1" X53/4" NUTLOCKS 1 1/16" TIE PLATES 73/4" 114 - D.S ABRASION PLATES AND PADE TRACK SPIKES 5/8" X 6" TRACK SPIKES 9/16" X 5 1/2" (HOLD DOWN) RAIL AN CHORS	R ONE MIL UNIT EA. GROSS TON EA. EA. KEG M. EA. EA. KEG KEG EA.	E OF NEW QUANTITY PER MILE 3250 207.585 267 4 18.27 1.626 6492 8 52 38 3000	/ TRACK 1321 B. UNIT COST 3.19 100.50 7.02 31.39 23.54 71.89 1,12 1.20 16.03 16.03 0.35	TOTAL COST 10367.50 20862.29 1874.34 125.56 430.08 116.89 7271.04 9.60 833.56 609.14 1050.00	7.44
ITEM TIES TREATED 7"X9"X8'6" RAIL 132 LB. RE. TOELESS JOINTS 36" 6HOLE JOINTS ARMORED INSULATED TRACK BOLTS I" X534" NUTLOCKS I 1/16" TIE PLATES 73/4" =14 = 0.5 ABRASION PLATES AND PADE TRACK SPIKES 5/8" X 6" TRACK SPIKES 9/16" X 5 1/2" (HOLDDOWN) RAIL ANCHORS BONDS	R ONE MIL UNIT EA. GROSS TON EA. EA. KEG M. EA. EA. KEG EA. EA. EA.	E OF NEW QUANTITY PER MILE 3250 207.585 267 4 18.27 i.626 6492 8 52 38 3000 267	/ TRACK 1321 B. UNIT COST 3.19 100.50 7.02 31.39 23.54 71.89 1.12 1.20 16.03 16.03 0.35 0.53	TOTAL COST 10367.50 20862.29 1874.34 125.56 430.08 116.89 7271.04 9.60 833.56 609.14 1050.00 141.51	C-44
ITEM TIES TREATED 7"X9"X8'6" RAIL 132 LB. RE. TOELESS JOINTS 36" 6HOLE JOINTS ARMORED INSULATED TRACK BOLTS I" X53/4" NUTLOCKS I 1/16" TIE PLATES 73/4" =14 = 0.5 ABRASION PLATES AND PADE TRACK SPIKES 5/8" X 6" TRACK SPIKES 5/8" X 6" TRACK SPIKES 9/16" X 5 1/2" (HOLD DOWN) RAIL ANCHORS BONDS BALLAST - CHAT	R ONE MIL UNIT EA. GROSS TON EA. EA. EA. EA. EA. KEG EA. EA. EA. EA. CU.YDS.	E OF NEW QUANTITY PER MILE 3250 207.585 267 4 18.27 1.626 6492 8 52 38 3000 267 4260	/ TRACK 1321 B. UNIT COST 3.19 100.50 7.02 31.39 23.54 71.89 1,12 1,20 16.03 16.03 16.03 0.35 0.53 0.40	TOTAL COST 10367.50 20862.29 1874.34 125.56 430.08 116,89 7271.04 9.60 833.56 609.14 1050.00 141.51 1704.00	2-44 T
ITEM TIES TREATED 7"X9"X8'6" RAIL 132 LB. RE. TOELESS JOINTS 36" 6HOLE JOINTS ARMORED INSULATED TRACK BOLTS 1" X53/4" NUTLOCKS I 1/16" TIE PLATES 73/4" =14 = 0.5 ABRASION PLATES AHD PADE TRACK SPIKES 5/8" X 6" TRACK SPIKES 5/8" X 6" TRACK SPIKES 9/16" X 5 1/2" (HOLD DOWN) RAIL AN CHORS BONDS BALLAST - CHAT CREOSOTE	R ONE MIL UNIT EA. GROSS TON EA. EA. KEG M. EA. EA. KEG EA. EA. EA. EA. EA. EA. EA. EA. EA. EA.	E OF NEW QUANTITY PER MILE 3250 207.585 267 4 18.27 1.626 6492 8 52 38 3000 267 4260 2	/ TRACK 1321 B. UNIT COST 3.19 100.50 7.02 31.39 23.54 71.89 1.12 1.20 16.03 16.03 0.35 0.53 0.40 12.65	TOTAL COST 10367.50 20862.29 1874.34 125.56 430.08 116.89 7271.04 9.60 833.56 609.14 1050.00 141.51 1704.00 25.30	T
ITEM TIES TREATED 7"X9"X8'6" RAIL 132 LB. RE. TOELESS JOINTS 36" 6HOLE JOINTS ARMORED INSULATED TRACK BOLTS 1" X53/4" NUTLOCKS 1 1/16" TIE PLATES 73/4" =14 = 0.5 ABRASION PLATES AND PADE TRACK SPIKES 5/8" X 6" TRACK SPIKES 5/8" X 6" TRACK SPIKES 9/16" X 5 1/2" (HOLDDOWN) RAIL ANCHORS BONDS BALLAST - CHAT CREOSOTE JOINT LUBRICANT	R ONE MIL UNIT EA. GROSS TON EA. EA. EA. EA. EA. KEG EA. EA. CU.YDS. BBLS. DRUM	E OF NEW QUANTITY PER MILE 3250 207.585 267 4 18.27 1.626 6492 8 52 38 3000 267 4260 2 1	/ TRACK 1321 B. UNIT COST 3.19 100.50 7.02 31.39 23.54 71.89 1.12 1.20 16.03 16.03 16.03 0.35 0.53 0.40 12.65 60.96	TOTAL COST 10367.50 20862.29 1874.34 125.58 430.08 116.89 7271.04 9.60 833.56 609.14 1050.00 141.51 1704.00 25.30 60.96	T
ITEM TIES TREATED 7"X9"X8'6" RAIL 132 LB. RE. TOELESS JOINTS 36" 6HOLE JOINTS ARMORED INSULATED TRACK BOLTS 1" X53/4" NUTLOCKS 1 1/16" TIE PLATES 73/4" = 14 = 5.5 ABRASION PLATES AHD PADE TRACK SPIKES 5/8" X 6" TRACK SPIKES 5/8" X 6" TRACK SPIKES 9/16" X 5 /2" (HOLDDOWN) RAIL ANCHORS BONDS BALLAST - CHAT CREOSOTE JOINT LUBRICANT JOINT SEALANT	R ONE MIL UNIT EA. GROSS TON EA. EA. EA. EA. EA. EA. EA. EA. EA. EA.	E OF NEW QUANTITY PER MILE 3250 207.585 267 4 18.27 1.626 6492 8 52 38 3000 267 4260 2 1 200	/ TRACK 1321 E. UNIT COST # 3.19 100.50 7.02 31.39 23.54 71.89 1,12 1.20 16.03 16.03 16.03 0.35 0.53 0.40 12.65 60.96 0.08	TOTAL COST 10367.50 20862.29 1874.34 125.58 430.08 116.89 7271.04 9.60 833.56 609.14 1050.00 141.51 1704.00 25.30 60.96 16.00	2.44 2.44
ITEM TIES TREATED 7"X9"X8'6" RAIL 132 LB. RE. TOELESS JOINTS 36" 6HOLE JOINTS ARMORED INSULATED TRACK BOLTS 1" X53/4" NUTLOCKS 11/16" TIE PLATES 73/4" = 14 = 0.5 ABRASION PLATES AND PADE TRACK SPIKES 5/8" X 6" TRACK SPIKES 5/8" X 6" TRACK SPIKES 9/16" X 5 /2" (HOLDDOWN) RAIL ANCHORS BONDS BALLAST - CHAT CREOSOTE JOINT LUBRICANT	R ONE MIL UNIT EA. GROSS TON EA. EA. EA. EA. EA. KEG EA. EA. CU.YDS. BBLS. DRUM	E OF NEW QUANTITY PER MILE 3250 207.585 267 4 18.27 1.626 6492 8 52 38 3000 267 4260 2 1	/ TRACK 1321 B. UNIT COST 3.19 100.50 7.02 31.39 23.54 71.89 1.12 1.20 16.03 16.03 16.03 0.35 0.53 0.40 12.65 60.96 0.08 0.01	TOTAL COST 10367.50 20862.29 1874.34 125.58 430.08 116.89 7271.04 9.60 833.56 609.14 1050.00 141.51 1704.00 25.30 60.96	С.


<u>[12]</u>



ST. LOUIS - SAN FRANCISCO RAILWAY COMPANY

DATA FOR TYPICAL MILE OF TRACK

SCALE: - AS SHOWN OFFICE OF CHIEF ENGR MARCH I, 1954 SPRINGFIELD, MO.




<u>Book 2</u>

"Buggy, cage, clown, wagon, crib, crummy, dog house, hut, louse cage, monkey house, shanty, way car... what did all these names have in common? They were all railroad slang for the most enduring and universal icon of railroading... the caboose!

Over the years, locomotives have changed in appearance, size, color, and operation. Freight cars have progressed from 30' all wood box cars, to 86' all steel high capacity giants, to articulated intermodal containcrization unit trains. The vast assortment of passenger equipment once operated by the railroads has come and gone. The only class of rail equipment that has remained relatively the same in size, design, and use has been the railroad caboose. On the Frisco, the color even stayed basically the same for over ninety years!

Although the caboose in revenue service is now a thing of the past, for those of us who have fond memories of their predictable appearance at the end of the train complete with waving crew, something will always be missing on modern consists.

This is the second in our **Caboose Chronicles** series in which we are profiling the history of Frisco cabooses, primarily through the eyes of those who had enough foresight to capture their simple beauty on film. The word "attempt" should be emphasized in describing the goal of this series because while they were the most stable element of Frisco freight operations,



"Mully Type" side-door caboose No. 319 in service on the Frisco July 26, 1915. The side door has been blocked, side step removed, and end platforms added. Notice the word FRISCO in place of the corporate coon skin logo and the "St.L.& S.F." reporting marks.

Photo from the collection of Larry Parrish



"Mully Type" side-door caboose No. 343 in service on the Frisco in 1950, at Tulsa, OK. Photo from the collection the Frisco Railroad Museum Inc.

the amount of information about Frisco cabooses currently available in our archives is regretfully lacking. Consequently, as the series progresses our readers arc encouraged to help us fill in the gaps by sharing any information and/or photos hey have about Frisco cabooses.

The early side door cabooses *(see All Aboard, Volume 11, Number 2, pp. 18-21)* were eventually phased out by most railroads due to safety issues. Getting on and off of a moving car from the side door proved to be a dangerous and often deadly operation. It is interesting to note, however, that according to our records at least one was still in service on the Frisco as late as 1950.

A July 26, 1915 photo shows No. 319 in service with side doors blocked, side step removed, and end platforms added. A 1938 company diagram indicated that in 1929-1930 some of the side door "mully type" cabooses were rebuilt by the Frisco with side door still in use. A 1950 photo shows No. 343 in service at Tulsa, OK, still configured in the early side entrance design.

On March 28, 1923, the design and appearance of Frisco cabooses forever changed when plans were approved for a new shop built "Standard Caboose with Steel Underframe." Although this plan was modified many times over the years, it became the standard for Frisco cabooses for over twenty years.


Phase I Wood Cupola Era 1923-1938

The original design Frisco shop built cabooses featured a steel underframe and wood superstructure, with a slant side wood cupola. These early units were originally sided with tongue & grove car siding and their roofs were covered with canvas and tar. They were numbered, non-consecutively, in series 199-940. They rode on Bettondorf type trucks equipped with full elliptic springs.

While they all basically "looked" the same, as the accompanying photos show, over the years the standard design was subjected to a wide variety of modifications.


According to our records, 1938 was the last year the Frisco cabooses were constructed with the wood cupolas.

In our next installment of **Caboose Chronicles**, we will examine Phase II of Frisco caboose construction - The Steel Cupola Era - 1938-1946.






Sl-SF 746 is the oldest photo we have that matches the oldest diagram we have of the early shop build Frisco cabooses design. Items to note: 1) Standard design wooden slant side cupola. 2) Space between first and second windows. 3) Two tread platform steps. 3) Single end platform railing. 4) Ladder mounted to end edge of roof. 5) No end windows. 6) Size and placement of Frisco logo and reporting marks. Photo from the collection of W.C. Pollard



SL-SF 709 is shown in service at Springfield, MO, November 27, 1947. Items and modifications to note: 1) Metal rod bracing on cupola (original standard design) 2) Two tread platform steps replaced with three tread units. 3) Size and placement of Frisco logo and reporting marks. 5) Railings and grab irons painted same color as caboose. (original standard design).



SL-SF 813, in service at Pittsburg, KS, May 30, 1948. Items and modifications to note: 1) Addition of end windows. 2) New safety railing on end platform and all railings, grab irons, and step edges painted yellow (September, 1947 modifications). 3) Frisco Lines logo.



SL-SF 937, in service at Enid, OK, May 30, 1958. Items and modifications to note: 1) Spacing between second and third windows. 2) Addition of safety ladder (1938 modification made on some units 3) Addition of 10" silver Scotchlite diamond reflectors on end of car (1953 addition). 4) Raising of platform whstle position. 5) Frisco logo. Photo from the collection of John C. La Rue, Jr.

517 (

DOWN AT THE DEPOT

Snyder, OK Station G664 Chickasha Subdivision Southwestern Division


Station K744 Enid & Hobart Subdivision Western Division

~~~~

The crossroads of the Frisco in southwest Oklahoma was Snyder, OK, Station G664 on the Chickasha Subdivision-Southwestern Division and K744 on the Enid & Hobart Subdivision-Western Division. Both station numbers reflect distance from St. Louis, MO. The east-west segment of the Snyder crossroads began on July 15, 1899, when the Oklahoma City and Western Railroad Company was incorporated. It was organized by C.G. Jones and associates of Oklahoma City. Aside from completing the organization, nothing was done until the latter part of 1901 when the contracting firm of Johnston Brothers of St. Elmo, IL, entered into an agreement to construct the line, with payment to be made in stock and bonds of the company.


On October 15, 1901,

Johnston Brothers agreed to sell all the securities it received to the St. Louis Trust Company of St. Louis. On April 4, 1902, the securities were in turn sold to the St. Louis and San Francisco Railroad Company. Ownership of the line was officially transferred to the Frisco on July 18, 1907. At that time, the company owned about 174 miles of standard gauge, single track railroad, located entirely within the State of Oklahoma, extending from Oklahoma City. southwesterly, to the south bank of the Red River.



The north-south segment of the Snyder rail crossroads began on March 6, 1900, with the incorporation of the Blackwell, Enid, and Southwestern Railway Co. It was organized by Ed L. Peckham and associates of Balckwell, OK. Prior to construction of the line, the Mississippi Valley Trust Company of St. Louis became interested in the project and formed a syndicate to finance construction. Control passed to the syndicate on August 31, 1900.

Early in 1902, the syndicate incorporated its interest under the name of Bes Line Construction Company, which on February 27, 1902, made an agreement with the St. Louis and San Francisco Railroad Co. to complete the line of The Blackwell, Enid, and Southwestern and to sell the entire capital stock of the company to the Frisco upon completion of construction. On February 8, 1903, the capital stock was delivered to the Frisco and on July 20, 1907, a formal deed




This (Postmarked) September 21, 1925 Fred Harvey postcard identifies the subject as the FRISCO STATION AND LUNCH ROOM, SNYDER OKLA-HOMA.

was executed conveying all property, rights, and franchises. At that time, the company owned about 238 miles of standard gauge, single track railroad, located entirely in the State of Oklahoma, extending from Blackwell to a connection with the track of the Frisco at Red River.

Although probably not the first depot in Snyder, the one pictured above served the traveling needs of the community for well over fifty years. Built in 1910, the all brick station measured 221' 10" long and 25' 2" wide. The east half of the station was devoted to railroad business, including an express room on the east end, baggage room, "negro" waiting room, womens rest room, ticket office, and large "white" waiting room.

The west half of the depot was occupied by the Fred Harvey lunch room, kitchen, storage room, and an enclosed brick courtyard area. The

19 (



second floor of the building provided living quarters for the Harvey Girls working in the lunchroom below. The Snyder Harvey House was one of over nineteen newsstands and lunch rooms operated by Fred Harvey on the Frisco between 1896 and 1930.

The depot featured a tile hip roof design with an approximate 1/3 & 1/4 pitch. The exterior was red brick on a concrete foundation. Interior floors were tile and concrete, walls brick and plaster, and the ceilings were 15' tall. Steam heat was provided, rest room facilities were inside, and the station had electric lighting.

In 1950, the Snyder facility also included a signal department supply house, 50,000 gals. water tank, elevated fuel oil tank and pumping station, machine shop, sand house and bin, track scales, cotton platform, bunk house and section house.

The first passenger trains to serve the 1910 built Snyder station were 9-10, the Meteor connection between Oklahoma City and Quanah, TX., and 609-610 between Kansas City, MO and Vernon, TX.

In the 1920's, service was increased with the addition of trains 7 & 8 the Southwest Limited, and a local between Enid and Vernon, Nos. 621-622. The 1930's and 40's saw the continuation of the Meteor connection and Tulsa to Vernon local.

According to our records, passenger service to Snyder ended on the Meteor connection in 1955 and the Enid to Vernon line in 1956.



Snyder, OK, depot end, looking northwest. December, 1967



Snyder, OK, depot end, looking southwest. December, 1967



Snyder, OK, lunch room end, looking southeast. December, 1967



Frisco Folk Rick McClellan shares with us an assortment of modeling tricks, tips, and neat things to do that are relatively simple, inexpensive, and quick, all of which can enhance the appearance and operation of your layout.


# Making Wooden Decks More Realistic

I enjoy seeing cars that have open loads like flat cars and gondolas. Modelers will often go to great lengths to make a prototypical load but set it on a deck that is painted the same color as the car on which it rides. Flat car decks are normally wood and are rarely painted and steel rusting in very short order.

I know of two ways to make a wooden car deck more realistic. Each has its mcrits and drawbacks. The first is to carve the plastic deck off and glue prestained wood planks on the plastic carbody. The other is to paint the deck and make the eyc believe that the plastic is wood. I have seen some very convincing painted wood decks.

# **Real Wood Decks**

Real wood decks have the distinct advantage of being made out of the same thing that prototype car decks are made from, real wood. Scale lumber is easy to find and stain and it looks great on a flat car or gondola. The only drawback is that the plastic deck must first be carved away in order to put the wood deck in place. This is a time consuming task but the resulting effort can produce a realistic "see-through" effect if all of the planks are not butted up against each other tightly. before applying to the car and still achieve a plausible weathered deck look. Ilike using lighter colors like Floquil Primer (110009), SP Lettering Gray (110130), Concrete (110082) and UP Harbor Mist Gray (110167). I like to follow both painted and stained decks with a very light



The planks should be prestained/painted and precut to length before they are glued to the car. This is the fast and most rewarding part of the project. Many modelers use various mixtures of India ink to stain their scale lumber with very good results. Lumber stained with India ink usually has shades that vary from charcoal to dark gray. The photograph of SLSF coat of Floquil Grimy Black airbrushed on to blend the different colors together just a bit to show that they have all seen the same bout of foot traffic or the effects of numerous loads.

# PAINTED PLASTIC DECKS

Plastic decks have the advantage of already being in place. Their big drawback is that they are usually painted the same color as the car and




1306 shows what a real wood deck stained with India ink can do for the appearance of a flatcar. The scale lumber could also be painted various shades of gray lack wood grain detail. The plastic deck can be painted to resemble wood and be very believable. This is the time consuming process, painting each individual plank.


As already mentioned, I use Floquil Primer (110009), SP Lettering Gray (110130), Concrete (110082) and UP Harbor Mist Gray (110167) to paint the deck. I alternate the colors on adjacent planks to highlight each plank with a different color. SLSF 95434 shows the initial painting of planks with the first shade or two of gray. Modelers wanting an even better looking deck can go over gray painted planks with a slightly lighter shade of gray in a dry brush fashion. The streaking caused by the dry brush technique will resemble the wood grain often left off of most plastic flatcar decks. Don't worry if you put a small amount of paint on the next plank. Your goofs will be covered when the adjacent plank is painted. Once all the planks are painted, use a hobby knife or the point of a compass to rescribe the spaces between the planks. This will define the edges of each plank and get rid of some of the uneven brush strokes.

The final step is to apply a very light coat of Floquill Grimy Black (airbrush on) to blend the different colors together just a bit to show that they have all seen the same amount of weathering and service. Slsf 4173 shows a finished plastic deck that is painted and weathered.


Now that you know a little more about wood decks, try these techniques on a few of your flats or gons and see how you like the results. With better looking flats and gondolas your customers are certain to...



Ship the risco!



Description on back of this photo reads, "Frisco passenger car burning (caught from roadside brush fire) just west of Northview on west bound train No. 3. Picture taken about 3:00 p.m., March 28, 1962 by Howard Fillmer. Strafford (MO) fire department in background."



23 (

